

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

textual and graphical input software developm

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search results by default. [View and manage your web history](#)

Web Books Results 1 - 10 of about **1,890,000** for **textual and graphical input software development**. (0.27

Book results for **textual and graphical input software development**



Building Tightly Integrated Software ... - by Manfred Nagl

Formal Engineering for Industrial Software ... - by Shaoying Liu - 408 pages

Algebraic Specification Techniques and Tools ... - by Hartmut Ehrig, Ingo Classen, Dietmar Wolz - 237 pages

Stottler Henke Introduces TaskGuide Software for Creating Dynamic ...

presenting each step's instructions using formatted **text**, **graphics**, **input** controls, ... a **software development** and consulting company with deep expertise in ...

www.stottlerhenke.com/news/pr_taskguide.htm - 18k - [Cached](#) - [Similar pages](#)

Section 508 For Software Development - Provisions-only

For example, some **graphics software** will display a rectangle around the image is **text** content, **text input** caret location, and **text** attributes." ...

www.section508.gov/IRSCourse/mod02/printProvisions.html - 65k - [Cached](#) - [Similar pages](#)

Section 508 For Software Development - Visual Basic

Visual Basic, as with all languages, can use **graphics** along with **text** to identify the ... is **text** content, **text input** caret location, and **text** attributes. ...

www.section508.gov/IRSCourse/mod02/printVB.html - 20k - [Cached](#) - [Similar pages](#)

GLOSSARY OF COMPUTERIZED SYSTEM AND SOFTWARE DEVELOPMENT TERMINOLOGY

A compact disk used for the permanent storage of **text**, **graphic** or sound ... or personal computers using CAD **software** and **input** devices such as **graphic** ...

www.fda.gov/ora/inspect_ref/igs/gloss.html - 208k - [Cached](#) - [Similar pages](#)

[PDF] ION: A Universal Graphical Input/Output System Designer

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Other data, however, such as **text input** from. a file, cannot be easily understood

flexible one, and one which previous **software development** has ...

context.media.mit.edu/press/wp-content/uploads/2006/06/ION_2006.pdf - [Similar pages](#)

SmartPhoneToday: News: Update: Zi Pencils Text Input into ...

Update: Zi Pencils **Text Input** into Trolltech's Linux Greenphone ... Trolltech Boosts Linux

Mobile **Software Development** With Testbed Smartphone ...

www.smartphoneday.com/articles/2006/12/2006-12-8-Zi-Pencils-Text.html - 96k -

[Cached](#) - [Similar pages](#)

[PDF] Development of Computer Aided Engineering Package - AFRICON '92 ...

The **software development** life cycle consists of the five. stages: system specification, design, ... decade the use of command language and **graphical input**- ...

ieeexplore.ieee.org/iel3/4933/13603/00624542.pdf?arnumber=624542 - [Similar pages](#)

Graphical input interaction technique (GIIT)

Graphical input interaction technique (GIIT). Full **text**, pdf format Pdf (2.34 MB)

Annotated bibliography on human factors in **software development**. ...

portal.acm.org/citation.cfm?id=988585&dl=&coll=&CFID=15151515&CFTOKEN=6184618 -

[Similar pages](#)**[Domain-Specific Development with Visual Studio \(Part 1\) Dev Source ...](#)**

Many people, for example, prefer **textual** languages for **input**, because they can type fast, but **graphical** languages for output, because it is easier to see ...

[findarticles.com/p/articles/mi_zddvs/is_200705/ai_n19424913](#) - 31k -

[Cached](#) - [Similar pages](#)

[Text-based \(computing\) - Wikipedia, the free encyclopedia](#)

However, with the **development** of the **graphical** user interface and the improvement in hardware ... **Text-based** has limitation on its **input** and output as well. ...

[en.wikipedia.org/wiki/Text-based](#) - 18k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)
 1985 - 2000

[Ad](#)
[Sc](#)
[Sc](#)
Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 143 for **textual graphical input softwa**
All Results
[G Singh](#)
[R Taylor](#)
[M Green](#)
[T Rist](#)
[L Nigay](#)

[Chiron-1: a **software** architecture for user interface development, maintenance, and run-time support](#)

RN Taylor, KA Nies, GA Bolcer, CA MacFarlane, KM ... - ACM Transactions on Computer-Human Interaction (TOCHI), 1995 - portal.acm.org

... 1.3 Specific Objectives Turning from the general **software** engineering goals above to more-specific ... Support for multiple **graphical** and **textual** views, with ...

[Cited by 36](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Visual Specification of Multi-View Visual Environments - all 8 versions »](#)

JC Grundy, WB Mugridge, JG Hosking - Proceedings of Symposium on Visual Languages, 1998 - doi.ieeecomputersociety.org

... filter/action model are specified by **input** (eg "rel changed") and ... results presented textually, or **textual** query languages with **textual** or **graphical** results. ...

[Cited by 16](#) - [Related Articles](#) - [Web Search](#)

[A distributed architecture for programming environments - all 4 versions »](#)

D Clément - ... of the fourth ACM SIGSOFT symposium on **Software development** ..., 1990 - portal.acm.org

... to wrap a selection image around **graphical** images. ... maintain the image structure after a **textual** modification: when ... the signals that are neither **input** nor output ...

[Cited by 20](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Towards a unified event-based **software** architecture - all 6 versions »](#)

JC Grundy, JG Hosking, WB Mugridge - Foundations of **Software** Engineering, 1996 - portal.acm.org

... the same advantages as ViTABaL over related **textual** approaches (such ... represented in a high-level, **graphical** manner ... such as follow-drag and abort-**input**, USC CPRG ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

[A high-level user interface management system](#)

G Singh, M Green - ACM SIGCHI Bulletin, 1989 - portal.acm.org

... to deal with one dimensional (**textual**) abstrac- tions ... on User Interface **Software**, Banff, Alberta ... and Grltith Hamlin, eds., **Graphics Input** Interaction Technique ...

[Cited by 32](#) - [Related Articles](#) - [Web Search](#)

[Virtual environments for work, study and leisure](#)

I Tomek, R Giles - Virtual Reality, 1999 - Springer

... maps and augmented with audio **input** and output ... communication and **textual** or **graphical**

documentation, such ... Jersey's **textual** communication between the client and ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

[... for providing maximum screen real estate in computer controlled display systems during **software** ... - all 3 versions »](#)

ABP Cecchini, M Woodard - US Patent 5,790,122, 1998 - Google Patents

... an event) for a corresponding **input**. ... navigation events such as page and **textual** representations of data. ... unmet, need to develop 50 displaying **graphic** and other ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

User interface management systems: themes and variations a review of the literature

S Rathnam, MV Mannino - System Sciences, 1991. Proceedings of the Twenty-Fourth ..., 1991 - [ieeexplore.ieee.org](#)

... This is because they are highly **graphic**, have multiple ... the same command, multiple asynchronous **input** and output ... is therefore a major **software development** issue ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

DOOD: Distributed Object-Oriented Software Development Environment - all 11 versions »

TH Kim, WC Shin, GD Park, TH Lee, TG Kim, YG Shin, ... - Software Engineering Conference, 1997. Asia Pacific... and ..., 1997 - [doi.ieeecs.org](#)

... allows users to display and edit **textual** components of ... users can exchange diagrams, texts and **graphic** images via ... with mouse, text **input**, image **input**, and file i ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

Development of 3-dimensional GIS running on Internet - all 2 versions »

HG Lee, KH Kim, K Lee - Geoscience and Remote Sensing Symposium Proceedings, 1998. ..., 1998 - [ieeexplore.ieee.org](#)

... or graphical form using Java **Graphic** User Interface ... information In addition to the **textual** information, multimedia ... world has sensor detecting the mouse **input**. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Google ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

textual graphical input software deve

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	186	(ide or ((graphical\$2 or visual\$2 or icon\$6) near3 (design\$3 or develop\$4))) and "event handler" and (control or object or icon) and (link\$3 or wir\$3) and (plurality or multiple or (first or initial\$2 or primary) and second\$3) near3 (window or pane or screen or container)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:33
L2	9	717/109.ccls. and (ide or ((graphical\$2 or visual\$2 or icon\$6) near3 (design\$3 or develop\$4))) and "event handler" and (control or object or icon) and (link\$3 or wir\$3) and (plurality or multiple or (first or initial\$2 or primary) and second\$3) near3 (window or pane or screen or container)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:33
L3	4	717/113.ccls. and (ide or ((graphical\$2 or visual\$2 or icon\$6) near3 (design\$3 or develop\$4))) and "event handler" and (control or object or icon) and (link\$3 or wir\$3) and (plurality or multiple or (first or initial\$2 or primary) and second\$3) near3 (window or pane or screen or container)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:34
L4	317	717/113.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:34
L5	2	717/113.ccls. and (visual\$2 and text\$3) near2 input\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:35
L6	5	717/109.ccls. and (visual\$2 and text\$3) near2 input\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:34

EAST Search History

L7	5	I5 or I6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:35
S1	2	"6701513".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 08:06
S2	6	(measurement and computing).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 08:09
S3	0	"repeating program object for use with a graphical program-development system"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 08:10
S4	8	"repeating program object"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 08:12
S5	8	"resolving divergent paths"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 08:32
S6	8	("6425121" "7082599" "6425120" "6684385").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 08:42
S7	10	("6425121" "7082599" "6425120" "6684385" "6701513").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:48
S8	102	(ide or ((graphical\$2 or visual\$2 or icon\$6) near3 (design\$3 or develop\$4))) and "event handler" and (control or object or icon) and (link\$3 or wir\$3) and (plurality or multiple or ((first or initial\$2 or primary) and second\$3)) near3 (window or pane or screen or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:32

EAST Search History

S9	158	(generat\$3 or enter\$3 or creat\$3 or writ\$3) near3 "event handler" same (control or object or icon) and (link\$3 or wir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:54
S10	417	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:54
S11	288	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:54
S12	98	717/113.ccls. and event and handl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:54
S13	146	717/109.ccls. and event and handl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:55
S14	24	S8 and 717/???ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:57
S15	200	(S12 or S13) not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:32
S16	34	("4315315" "4901221" "4914568" "5155836" "5261043" "5291587" "5301336" "5313574" "5313575" "5481741" "5497500" "5610828" "5717614" "5737622" "5847953" "5870088" "5883639").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 13:59
S17	34	("4315315" "4901221" "4914568" "5155836" "5261043" "5291587" "5301336" "5313574" "5313575" "5481741" "5497500" "5610828" "5717614" "5737622" "5847953" "5870088" "5883639").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:07

EAST Search History

S18	13	("6189138" "5481668" "6226787" "5694539" "6154876" "5842020" "5490246").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:14
S19	6	("6282699" "5261043" "6064816").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:15
S20	2	("5862379").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:17
S21	16	("6438742" "5717614" "5724589" "4849880" "6425121" "6425120" "6684385" "6233726").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:21
S22	2	("7082599").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:21
S23	1	("6425121" "7").pn. and "generates event handler" and "textual inputs" and "graphical inputs" and "designer window" and toolbar and "form window"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/02 11:56
S24	4	("6425121" "7082599" "6425120" "6684385").pn. and "generates event handler" and "textual inputs" and "graphical inputs" and "designer window" and toolbar and "form window"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/02 12:04
S25	2	"6701513".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/02 12:04